MATERIAL SAFETY DATA SHEET

FT: LYSIS BUFFER L4 20 ML INVITROGEN CORPORATION MSDS ID: 466708

Page 1 of 9 Revised 8/25/04 Replaces (None) Printed 8/25/04

LTIMSDS1

# PRODUCT AND COMPANY INFORMATION

INVITROGEN CORPORATION 1600 FARADAY AVE. CARLSBAD, CA 92008 760/603-7200

INVITROGEN CORPORATION 3 FOUNTAIN DR. INCHINNAN BUSINESS PARK PAISLEY, PA4 9RF SCOTLAND

INVITROGEN CORPORATION 2270 INDUSTRIAL ST. BURLINGTON, ONT CANADA L7P 1A1

905/335-2255

EMERGENCY NUMBER (SPILLS, EXPOSURES):

NON-EMERGENCY INFORMATION:

Product Name: FT: LYSIS BUFFER L4 20 ML

44-141 814-6100

Stock Number: 466708

Product Use:

otherwise stated. Synonyms: Not available.

GIBCO PRODUCTS INVITROGEN CORPORATION 3175 STALEY ROAD P.O. BOX 68 GRAND ISLAND, NY 14072 716/774-6700

INVITROGEN CORPORATION P.O. BOX 12-502 PENROSE AUCKLAND 1135 NEW ZEALAND 64-9-579-3024

INVITROGEN AUSTRALIA PTY LIMITED 2A/14 LIONEL ROAD MOUNT WAVERLY VIC 3149 AUSTRALTA 1-800-331-627

301/431-8585 (24 HOUR) 800/451-8346 (24 HOUR)

800/955-6288

NOTE: If this product is a kit or is supplied with more than one material, please refer to the MSDS for each component for hazard information.

# COMPOSITION, INFORMATION ON INGREDIENTS

These products are for laboratory research use only and are not intended for human or animal diagnostics, therapeutic, or other clinical uses, unless

The following list shows components of this product classified as hazardous based on physical properties and health effects:

Component CAS No. Percent SODIUM DODECYL SULFATE 151-21-3 1 - 5 77-86-1 TRIS

MATERIAL SAFETY DATA SHEET	Page	2 of 9
	Revised	8/25/04
FT: LYSIS BUFFER L4 20 ML	Replaces	(None)
INVITROGEN CORPORATION	Printed	8/25/04

HAZARDS IDENTIFICATION

Warning!

Irritant.

Harmful if swallowed.

MSDS ID: 466708

May cause allergic skin reaction.

Possible reproductive system hazard based on animal data.

Potential Health Effects:

Contact with the eyes may cause moderate to severe eye injury. Eye contact may result in tearing and reddening, but not likely to permanently injure eye tissue. Temporary vision impairment (cloudy or blurred vision) is possible.

Skin:

Can cause severe irritation, defatting, and dermatitis. Irritation effects may last for hours or days but will not likely result in permanent damage. May cause allergic skin reaction.

Inhalation:

Can cause severe respiratory irritation, dizziness, weakness, fatique, nausea, headache and possible unconsciousness.

Other possible symptoms include; wheezing and coughing due to pulmonary edema

(fluid build-up in lungs).

No toxicity expected from inhalation.

Ingestion:

Irritating to mouth, throat, and stomach. Can cause abdominal discomfort,

nausea, vomiting and diarrhea.

Ingestion of this product may result in central nervous system effects including headache, sleepiness, dizziness, slurred speech and blurred vision. May cause liver disorder (e.g., edema, proteinuria) and damage. Overexposure may cause kidney damage.

Harmful if swallowed. May cause systemic poisoning.

Chronic:

No data on cancer.

Contains a substance that is a possible reproductive system hazard based on animal studies at doses that could be encountered in the workplace.

## FIRST AID MEASURES

Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention

MATERIAL SAFETY DATA SHEET
Page 3 of 9
Revised 8/25/04
FT: LYSIS BUFFER L4 20 ML Replaces (None)
INVITROGEN CORPORATION Printed 8/25/04
MSDS ID: 466708

4. FIRST AID MEASURES (CONT.)

and monitor the eye daily as advised by your physician.

Skin:

Wash with soap and water. Remove contaminated clothing, launder immediately, and discard contaminated leather goods. Get medical attention immediately.

Inhalation:

Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately.

Ingestion:

Severely irritating. Do not induce vomiting. Seek medical attention immediately. Drink 2 glasses of water or milk to dilute.

Note To Physician: Treat symptomatically.

# 5. FIRE FIGHTING MEASURES

Flashpoint Deg C:

Not available.

Upper Flammable Limit %:

Not available.

Lower Flammable Limit %:

Not available.

Autoignition Temperature Deg C:

Not available.

Extinguishing Media:

Use alcohol resistant foam, carbon dioxide, dry chemical, or water spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot burning liquid. Use water spray/fog for cooling.

Firefighting Techniques/Equipment:

Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products.

Hazardous Combustion Products:

Includes carbon dioxide, carbon monoxide, dense smoke.

MATERIAL SAFETY DATA SHEET Page 4 of 9 Revised 8/25/04 FT: LYSIS BUFFER L4 20 ML Replaces (None) Printed 8/25/04

INVITROGEN CORPORATION MSDS ID: 466708

# ACCIDENTAL RELEASE MEASURES

Accidental releases may be subject to special reporting requirements and other regulatory mandates. Refer to Section 8 for personal protection equipment recommendations.

#### Spill Cleanup:

Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section VIII of this MSDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits.

Ventilate the contaminated area.

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section VIII at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation.

#### HANDLING AND STORAGE

Storage of some materials is regulated by federal, state, and/or local laws.

Storage Pressure:

Ambient

Handling Procedures:

Toxic or severely irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. Keep closed or covered when not in use.

Storage Procedures:

Store in a cool dry ventilated location. Isolate from incompatible materials and conditions. Keep container(s) closed. Suitable for most general chemical storage areas.

## 8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Exposure Limits:

Component SODIUM DODECYL SULFATE TRIS

OSHA PEL (ppm) Not established. Not established.

(mqq) Not established. Not established.

AGCIH TWA

MATERIAL SAFETY DATA SHEET
Page 5 of 9
Revised 8/25/04
Replaces (None)
Printed 8/25/04

FT: LYSIS BUFFER L4 20 ML INVITROGEN CORPORATION MSDS ID: 466708

# 8. EXPOSURE CONTROLS, PERSONAL PROTECTION (CONT.)

Engineering Controls:

Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.

Personal Protective Equipment:

Eve

An eye wash station must be available where this product is used. Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available.

Skin:

Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Have a safety shower available.

Respiratory:

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/physical state: Clear, colorless liquid.

Odor: No odor.

Boiling Point (C): 100
Melting Point (C): 0
Solubility in water: 100%
pH: 7.0

Vapor Pressure: 0.0212 ATM AT 20°C

Vapor Density: 17.3 G/M3

Specific Gravity/Density: 1.00

Octanol/water Partition Coeff: Not established. Volatiles: Not established.

Evaporation Rate: 0.3 (BUTYL ACETATE = 1.0)

Viscosity: 0.98 cp at 20°C

MATERIAL SAFETY DATA SHEET Page 6 of 9 Revised 8/25/04 FT: LYSIS BUFFER L4 20 ML Replaces (None) INVITROGEN CORPORATION Printed 8/25/04 MSDS ID: 466708

> 10. STABILITY AND REACTIVITY

Stability:

Stable under normal conditions.

Conditions to Avoid:

Strong oxidizing agents. High temperatures. Strong acids. Strong alkalies. Brass. Hypochlorites. Aldehydes.

Hazardous Decomposition Products:

Carbon monoxide. Carbon dioxide. Sulfur containing gases. Nitrogen oxides.

Hazardous Polymerization:

Hazardous polymerization will not occur.

# TOXICOLOGICAL INFORMATION

Acute Toxicity:

Dermal/Skin:

Sodium Dodecvl Sulfate: Dermal LD50 >10 G/KG

Inhalation/Respiratory:

Not determined.

Oral/Ingestion:

Sodium dodecyl sulfate: Oral LD50 = 1288 MG/KG

Tris: 5900 MG/KG

Target Organs: No data found.

Carcinogenicity:

NTP:

Not tested.

IARC:

Not listed.

OSHA:

Not regulated.

Other Toxicological Information Contains a substance(s) that is a possible reproductive system hazard based on high dose tests with laboratory animals.

MATERIAL SAFETY DATA SHEET
Page 7 of 9
Revised 8/25/04
FT: LYSIS BUFFER L4 20 ML Replaces (None)
INVITROGEN CORPORATION
MSDS ID: 466708

# 12. Ecological Information

Ecotoxicological Information: No ecological information available.

Environmental Fate (Degradation, Transformation, and Persistence): Bioconcentration is not expected to occur.

## 13. DISPOSAL CONSIDERATIONS

Regulatory Information: Not applicable.

Disposal Method:

Clean up and dispose of waste in accordance with all federal, state, and local environmental regulations.

## 14. TRANSPORT INFORMATION

Proper Shipping Name: Not regulated.

Subsidiary Hazards:

# 15. REGULATORY INFORMATION

#### UNITED STATES:

#### TSCA:

This product is solely for research and development purposes only and may not be used, processed or distributed for a commercial purpose. It may only be handled by technically qualified individuals.

Materials used in manufacturing processes which are subject to compliance with the Federal Food Drug and Cosmetic Act (FDA) are not subject to the Toxic Substance Control Act (TSCA). The TSCA research use only restriction does not apply to FDA regulated manufacturing processes nor the resulting product per 15 U.S.C. 2602(2).

Prop 65 Listed Chemicals: No Prop 65 Chemicals.

PROP 65

PERCENT

No 313 Chemicals

#### CANADA:

DSL/NDSL:

Not determined.

MATERIAL SAFETY DATA SHEET

FT: LYSIS BUFFER L4 20 ML INVITROGEN CORPORATION MSDS ID: 466708

Page 8 of 9 Revised 8/25/04 Replaces (None) Printed 8/25/04

LTIMSDS2

# REGULATORY INFORMATION (CONT.)

COMPONENT WHMIS Classification

SODIUM DODECYL SULFATE D2B

TRIS Not classified as hazardous.

EUROPEAN UNION:

PRODUCT RISK PHRASES: None assigned.

PRODUCT SAFETY PHRASES:

Not applicable. PRODUCT CLASSIFICATION:

ΧI

EINECS Component Number SODIUM DODECYL SULFATE 205-788-1 TRIS 201-064-4

## OTHER INFORMATION

HMIS Rating 0-4:

Not determined. FIRE: HEALTH: Not determined. REACTIVITY: Not determined.

Abbreviations

N/A - Data is not applicable or not available SARA - Superfund and Reauthorization Act

HMIS - Hazard Material Information System

WHMIS - Workplace Hazard Materials Information System

NTP - National Toxicology Program

OSHA - Occupational Health and Safety Administration

IARC - International Agency for Research on Cancer PROP 65 - California Safe Drinking Water and

Toxic Enforcement Act of 1986

EINECS - European Inventory of Existing Commercial

Chemical Substances

The above information was acquired by diligent search and/or investigation and the recommendations are based on prudent application of professional judgment. The information shall not be taken as being all inclusive and is to be used only as a guide. All materials and mixtures may present unknown hazards and should be used with caution. Since Invitrogen Corporation cannot control the actual methods, volumes, or conditions of use, the Company shall not be held liable for any damages or losses resulting from the handling or from contact with the product as described herein. THE INFORMATION IN THIS

FT: LYSIS BUFFER L4 20 INVITROGEN CORPORATION MSDS ID: 466708		CERIAL	SAFETY	DATA	SHEET		Page Revised Replaces Printed	(None)
	16.	OTHER	INFORM	ATION	(CONT.	)		

MSDS DOES NOT CONSTITUTE A WARRANTY, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE.